



Product Code: LVA#911NW-S

Description: Sterile 70% USP IPA 30% WFI Non-woven Polyester/Cellulose Wipes

Quantity in 1 case: Flat pack 20 wipes/pouch; 24 pouches/case

Lot#: 30000622

Expiration Date: 30 Sep 2024

CERTIFICATE OF ANALYSIS

<u>Parameters</u>	<u>Specification</u>	<u>Result</u>
Basis Weight	68 ± 4 g/m ²	64 g/m ²
Thickness	0.27 – 0.34 mm	0.30 mm
Absorbency Capacity (<i>TEST-RP-CC 004.3</i>)	≥ 280mL/m ²	289mL/m ²
Absorbency Rate (<i>TEST-RP-CC 004.3</i>)	≤ 0.5 sec	0.5 sec
Colour	Colourless	Colourless
Odour	Alcohol – like	Alcohol – like
Solution Clarity	Clear	Clear
IPA Content	68.0 to 72.0 %	69.94%
Specific Gravity at 20°C	0.872 to 0.883	0.8724
Refractometer	24 – 26	25.5
Sterility Test (<i>ISO 11137 method</i>)	No growth observed	No growth observed

Irradiation Details

Specified Dose (kGy)	Delivered Dose (kGy)
Min: 25 Max: 45	Min: 28.7 Max: 32.5

This product / product category has been validated for Sterility Assurance Level of SAL 10⁻⁶ with VD Max²⁵ Method as per ISO EN 11137-2:2015: Sterilization of healthcare products – Radiation Part 2 – Establishing the Sterilization Dose; with a conclusion of a dose of 25kGy will provide Sterility Assurance Level of SAL 10⁻⁶.

Reviewed and Approved by:

Date:

07 Mar 2023

For more information, visit www.thermofisher.com

Singapore:

For customer service, call +65 6873-6006
Email, enquiry.sg@thermofisher.com
fishersd.com.sg | myfisherstore.com/singapore

Malaysia:

For customer service, call +603 5122 8888
Email, enquiry.my@thermofisher.com
fishersd.com.my | myfisherstore.com/malaysia

